

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 4/12/2023

Therm 250

Material number LZB x22

Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Therm 250

This safety data sheet pertains to the following products:

LZB 122: 5 L

LZB 222: 10 L

LZB 322: 20 L

CAS-Number: 63148-52-7

List number: 613-149-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Heat transfer fluids
Industrial use
Professional uses / Public domain

1.3 Details of the supplier of the safety data sheet

Company name: Lauda Dr. R. Wobser GmbH & Co. KG

Street/POB-No.: Laudaplatz 1

Postal Code, city: 97922 Lauda-Königshofen

Germany

WWW: www.lauda.de

E-mail: info@lauda.de

Telephone: +49 (0)9343-503-0

Telefax: +49 (0)9343-503-222

Department responsible for information:

Department Quality Management,

Telephone: +49 9343 503-331, e-mail info@lauda.de

1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)

Telephone: 844 892 0111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This substance is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 4/12/2023

Therm 250

Material number LZB x22

Page: 2 of 8

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterisation: Polymethylphenylsiloxane
CAS-Number: 63148-52-7
List number: 613-149-7

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Provide fresh air. If breathing becomes irregular or ceases, apply rescue breathing or artificial respiration immediately, where required supply oxygen. Seek medical attention.

Following skin contact: Remove residues with soap and water. Change contaminated clothing. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist in the event of irritation.

After swallowing: Rinse mouth thoroughly with water. Do not induce vomiting. If you feel unwell, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder, carbon dioxide
Extinguishing media which must not be used for safety reasons:
Full water jet

5.2 Special hazards arising from the substance or mixture

Flammable liquid. May form dangerous gases and vapours in case of fire.
Furthermore, there may develop: formaldehyde, Silicon dioxide carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:
Wear self-contained breathing apparatus. Wear suitable protective clothing.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 4/12/2023

Therm 250

Material number LZB x22

Page: 3 of 8

Additional information: Hazchem-Code: -

Do not inhale explosion and combustion gases. Cool endangered containers with water jetspray.
Do not allow fire water to penetrate into surface or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the substance. Do not breathe mist/vapours/spray. Ensure adequate ventilation, especially in confined areas. Use respiratory protection whenever ventilation is inadequate. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance. To clean the floor and all objects contaminated by this material, use solvent. Thoroughly clean surrounding area.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Do not breathe mist/vapours/spray. Avoid contact with skin. Provide adequate ventilation, and local exhaust as needed. Wear appropriate protective equipment. When using do not eat, drink or smoke. Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

Precautions against fire and explosion:

Keep away from sources of ignition and heat. Take action to prevent static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store in well closed containers in a cool, dry, well-ventilated area. Protect from direct sunlight.

Hints on joint storage:

Do not store together with oxidizing agents.

7.3 Specific end use(s)

No special measures are required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

When aerosols and vapours form: Withdraw by suction.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 4/12/2023

Therm 250

Material number LZB x22

Page: 4 of 8

Personal protection equipment

Occupational exposure controls

Respiratory protection:	Respiratory protection in case of aerosol or vapour formation Use filter type A (= against vapours of organic substances) according to BS EN 14387.
Hand protection:	Protective gloves according to BS EN 374. Glove material: Nitrile rubber Breakthrough time: >480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to BS EN ISO 16321-1:2022.
Body protection:	Wear suitable protective clothing.
General protection and hygiene measures:	When using do not eat, drink or smoke. Do not breathe mist/vapours/spray. Avoid contact with skin. Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C and 101.3 kPa: liquid Colour: colourless
Odour:	characteristic
Odour threshold:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	> 300 °C (c.c. Afnor T 60103)
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	at 25 °C: approx. 1.06 g/mL
Solubility:	soluble in various organic solvents
Water solubility:	practically insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.
Viscosity, kinematic:	at 25 °C: approx. 125 mm ² /s
Explosive properties:	No data available
Oxidizing characteristics:	No data available

9.2 Other information

Additional information: Product has no oxidizing effect.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 4/12/2023

Therm 250

Material number LZB x22

Page: 5 of 8

SECTION 10: Stability and reactivity

10.1 Reactivity

refer to 10.3

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Exposure to heat may produce hazardous decomposition products.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition: Benzene, formaldehyde
Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity: LD50 Rat, oral: > 2000 mg/kg

Toxicological effects: Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Rabbit: Not an irritant

Serious eye damage/irritation: Based on available data, the classification criteria are not met. mild irritant

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Based on available data, the classification criteria are not met. Guinea pig: not sensitising

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met. Ames test: negative

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 4/12/2023

Therm 250

Material number LZB x22

Page: 6 of 8

General remarks

Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.
Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

Known or predicted distribution to environmental compartments: floor and sediment

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 02 05* = Mineral-based non-chlorinated engine, gear and lubricating oils
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Do not allow to enter drains. Avoid release to the environment.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.
Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023
Version: 10.0
Replaces version: 9.0
Language: en-GB
Date of print: 4/12/2023

Therm 250

Material number LZB x22

Page: 7 of 8

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: -
No data available

National regulations - EC member states

List number: 613-149-7

15.2 Chemical Safety Assessment

No data available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023

Version: 10.0

Replaces version: 9.0

Language: en-GB

Date of print: 4/12/2023

Therm 250

Material number LZB x22

Page: 8 of 8

SECTION 16: Other information

Further information

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EN: European Standard
EQ: Exempt quantities
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 1: Product identifier

Date of first version: 18/10/2012

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.